FOBMARK

LED HANDRAIL LIGHT

- FB-3HD01 - Aluminum Alloy Series
- FB-3HD02 - 304/316 Stainless Steel Series
- FB-3HD03 - Wooden Series
- FB-3HD09 - Linear Puck
- FB-3HD15 - Spot Puck
- FB-3HD15(316-IP68) - Pool Puck











+38631300505 info@fobmark.si www.fobmark.si

FOBMARK

APPLICATIONS



Hotel



Passage

Hospital

Outdoors



Residencese



Elevator

+38631300505 info@fobmark.si www.fobmark.si

FB-3HD01

Aluminum Alloy Handrail Light

+38631300505 info@fobmark.si www.fobmark.si









Can work with different sensors

MODEL	POWER	DELIVERED LUMEN	CCT(K)	CRI	BEAM(°)	INPUT	IP	SIZE(MM)
FB-3HD01-1000	10W	450 lm	2700-6500	80, 90	130	12V/24V DC	20/65/67	L1000*Ø35
FB-3HD01-1500	15W	675 lm	2700-6500	80, 90	130	12V/24V DC	20/65/67	L1500*Ø35
FB-3HD01-2000	20W	900 lm	2700-6500	80, 90	130	12V/24V DC	20/65/67	L2000*Ø35
FB-3HD01-2500	25W	1125 lm	2700-6500	80, 90	130	12V/24V DC	20/65/67	L2500*Ø35

+38631300505 info@fobmark.si www.fobmark.si



FB-3HD02

304/316 Stainless Steel Handrail Light

+38631300505 info@fobmark.si www.fobmark.si

Multiple accessories suitable for different installation environments

MODEL	POWER	DELIVERED LUMEN	CCT(K)	CRI	BEAM(°)	INPUT	IP	SIZE(MM)
FB-3HD02-1000	10W	450 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L1000*Ø42.4
FB-3HD02-1500	15W	675 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L1500*Ø42.4
FB-3HD02-2000	20W	900 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L2000*Ø42.4
FB-3HD02-2500	25W	1125 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L2500*Ø42.4



FB-3HD03

Wooden Handrail Light

+38631300505 info@fobmark.si www.fobmark.si

•Wooden handrail lights are especially suitable for schools, day-care centres, kindergartens, universities, offices, surgeries, chambers, hotels, etc

•The standard handrail is Ø45mm, and support customized sizes , material types and colors

•Support is provided by us with metal parts and processed the wooden handrails by yourself

MODEL	POWER	DELIVERED LUMEN	CCT(K)	CRI	BEAM(°)	INPUT	IP	SIZE(MM)
FB-3HD03-1000	10W	450 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L1000*Ø45
FB-3HD03-1500	15W	675 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L1500*Ø45
FB-3HD03-2000	20W	900 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L2000*Ø45
FB-3HD03-2500	25W	1125 lm	2700-6500	80, 90	90	12V/24V DC	20/65/67	L2500*Ø45

FB-3HD09

LED Handrail Linear Puck

+38631300505 info@fobmark.si www.fobmark.si



2700K / 3000K / 4000K ...
RGB / RGBW / RGBCCT
DMX-RGBW

Suitable for Ø38.1/42.4/48.3/50.8mm etc. handrail tube

MODEL	POWER	LIGHT SOURCE	CRI	NOMINAL LUMEN	DELIVERED LUMEN	BEAM	INPUT	IP	SIZE(MM)	CUT(MM)
FB-3HD09	1.5W	2835	80	225 lm(3000K)	30 lm(3000K)	110°	12V/24 DC	66	L94*W22*H25	80*18

FB-3HD15

LED Handrail Puck





2700K / 3000K / 4000K ...
RGB / RGBW
DMX-RGBW

Suitable for Ø38.1/42.4/48.3/50.8mm etc. handrail tube

MODEL	POWER	LIGHT SOURCE	CRI	NOMINAL LUMEN	DELIVERED LUMEN	INPUT	IP	SIZE(MM)	CUT(MM)
FB-3HD15	1.5W	5050	80	223 lm(3000K)	106 lm(3000K)	12V/24V DC	66	Ø34*H29	Ø30

FB-3HD15 316-IP68

LED Pool Handrail Puck

+38631300505 info@fobmark.si www.fobmark.si

- •316 Stainless Steel finish(Corrosion-resistant)
- •IP68 rating, can be used underwater
- •1.5W DC12V
- •2700K/ 3000K/ 4000K/ RGB/ RGBW/ DMX-RGBW
- •Suitable for Ø38.1/42.4/48.3/50.8mm etc. handrail tube
- •Support customization to fit different tubes and different arc surfaces

2700K / 3000K / 4000K ...

RGB / RGBW

DMX-RGBW

Suitable for Ø38.1/42.4/48.3/50.8mm etc. handrail tube

MODEL	POWER	LIGHT SOURCE	CRI	NOMINAL LUMEN	DELIVERED LUMEN	BEAM	INPUT	IP	SIZE(MM)	CUT(MM)
FB-3HD15(316-IP68)	1.5W	5050	80	228 lm(3000K)	105 lm(3000K)	110°	12V DC	68	Ø34*H29	Ø30